

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

GREAT BRITAIN.

Liverpool-Typhus Fever.

Consul Washington reports the occurrence of 2 cases of typhus fever with 1 death during the week ended August 24, 1912, and 1 case with 1 death during the week ended September 14, 1912.

GUATEMALA.

Poliomyelitis.

Acting Asst. Surg. Ames, at Puerto Barrios, reports September 29, 1912, the presence of a case of poliomyelitis in hospital at Dartmouth' a locality situated 28 miles inland and on the railway. The case occurred in a native.

HAWAII.

Examination of Rodents for Plague Infection.

During the week ended September 7, 1912, 752 rats and mongoose were examined at Hilo and 1,918 at Honokaa. No plague infection was found.

At Honolulu during the same week 190 rats were examined. No

plague infection was found.

The last case of human plague occurred at Pepeekeo, Hawaii, September 13, 1912. The last plague-infected rat was found at Olaa, Hawaii, September 9, 1912.

INDIA

Calcutta - Cholera and Plague.

Dr. A. S. Allan, surgeon to the American consulate general, reports: During the week ended July 27, 1912, 49 deaths from cholera and 7 from plague were reported at Calcutta; in all Bengal, 7 cases of plague, with 7 deaths; in all India, 417 cases of plague, with 302 deaths.

Madras-Cholera Epidemic.

Consul Olivares reports August 29: Cholera has been officially declared epidemic in Madras. During a period of 11 days ended August 28, 1912, 103 cases, with 72 deaths, were reported. On August 28 there were reported 11 cases, with 8 deaths. The native Hindoo and Eurasian districts of the city are those most seriously infected. The disease shows a tendency to attack all classes equally, but the greater number of cases has been among Hindoos.

ITALY.

Cholera in Sardinia.

From September 4 to 10, 1912, there were reported at Cagliari, island of Sardinia, 13 cases of cholera with 3 deaths.